## **EPA Official Record**

Notes ID: 08F28A43719BFB2C852578690055A5CC

From: "Anderson, Michael \(Boston\)" < Michael. Anderson@jacobs.com>

**To:** <Gary.P.Morin@usace.army.mil>; <paul.g.l'heureux@usace.army.mil>; <mark.j.anderson.jr@nae02.usace.army.mil>; <K.C.Mitkevicius@nae02.usace.army.mil>; <maurice.beaudoin@usace.army.mil>; Jim Brown/R1/USEPA/US@EPA; Dave Dickerson/R1/USEPA/US@EPA

**Copy To:** "Anderson, Michael \(Boston\)" < Michael. Anderson@jacobs.com>; "Rigassio-Smith, Anita" < Anita. Rigassio-Smith@jacobs.com>; "Gouveia, Mark" < Mark. Gouveia@jacobs.com>; "Connor, Jackie" < Jackie. Connor@jacobs.com>

**Delivered Date:** 07/23/2007 11:41 AM EDT

Subject: Draft comparison table

ATTACHMENT: Alternative Comparison2.xls
Hi everyone, Attached is a comparison table for cost estimates and timelines
for the various dredging and CAD Cell alternatives. We tried to consolidate
the most relevant and comparable information (we only listed the assumed 3.5%
COLA for example) as we have generated so many cost estimates it's difficult to
compare the alternatives without doing so. Let us know if there is something
else you'd like at this point. Otherwise what we plan to do is revise the
information provided to datewe based on all com receive and then assemble one
complete submittal with cover letter as we did for Alternative 2 in April.

## 

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

Comparison2.xls